

COMPANY IDENTITY: ALBATROSS U.S.A., INC.  
 PRODUCT IDENTITY: ALBATROSS SAFE-T-TACK

DATE: 4/07/00  
 PAGE 1

## MATERIAL SAFETY DATA SHEET

**Important:** Read this MSDS before handling & disposing of this product. Pass this information to employees, customers, and users of this product.

<b>Manufacturer's Name &amp; Address:</b> Albatross U.S.A., Inc. P.O. Box 6446 Long Island City, NY 11106	<b>Information &amp; Emergency Phone Number:</b> 718-392-6272
<b>Date of Preparation:</b> 04/07/00	<b>IN CASE OF SPILL OR LEAK INVOLVING THIS CHEMICAL - CALL CHEMTREC 24 HOURS A DAY AT 800-424-9300</b>
<b>DOT Name &amp; No.:</b> Non-regulated material N.O.S. Non-hazardous No I.D. #	

### SECTION I - PRODUCT IDENTIFICATION

<b>Product Name:</b> Albatross Safety Pal	<b>HMS Ratings:</b>	<table border="0"> <tr> <td>H</td> <td>F</td> <td>R</td> <td>PP</td> </tr> <tr> <td>0</td> <td>0</td> <td>0</td> <td>A</td> </tr> </table>	H	F	R	PP	0	0	0	A
H	F	R	PP							
0	0	0	A							

### SECTION II - HAZARDOUS INGREDIENTS

THE FOLLOWING \* ARE REPORTABLE UNDER SARA TITLE III - SECTION 313:

<u>Top Five And/Or Hazardous Ingredients</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
Water	7732-18-5	Infinite	Infinite
Vinyl Acetate <0.4%	108-05-4	20	10 ppm
TSR #1397250002-5080P			
TSR #1397250002-5231P			
TSR #1397250002-5203P			

\*\* Above exposure limits are for air levels only. When skin contact occurs, overexposure may result though air levels are less than limits listed above.

### SECTION III - PHYSICAL DATA

<b>Boiling Point:</b> 212 Deg. F <b>Vapor Pressure (mm Hg @ TEMP):</b> 24 @ 70 deg F. <b>Specific Gravity:</b> 1.02 <b>Appearance and Odor:</b> Milky white liquid. Characteristic mild latex odor. <b>Volatile Organic Compound #/Gal:</b> 0.00 <b>Volatile Organic Compound Kg/Liter:</b> 0.000	<b>Vapor Density:</b> 1.2 <b>Weight/Gal:</b> 8.48
--	--

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

<b>Flash Point:</b> N/A <b>Flammable Limits in Air %:</b> LEL - N/A UEL - N/A <b>Auto Ignition Temperature:</b> N/A <b>Extinguish Media:</b> For dry film use CO 2, foam, dry chemical <b>Special Fire Fighting Procedure:</b> NIOSH/MSHA - approved self-contained breathing apparatus should be used. Cool exposed surfaces with water spray. <b>Unusual Fire and Explosion Hazard:</b> N/A	<b>Method Used:</b> N/A
--	-------------------------

COMPANY IDENTITY: ALBATROSS U.S.A., INC.  
PRODUCT IDENTITY: ALBATROSS SAFE-T-TACK

DATE: 4/07/00  
PAGE 2

SECTION V - REACTIVITY DATA

Stability: Stable  
Incompatibility (Materials to avoid): Water reactive materials such as metallic sodium and potassium & strong oxidizing agents.  
Conditions to Avoid: Keep away from oxidizing agents. Coagulates when frozen, acidified, or boiled.  
Hazardous Decomposition Products: Oxides of carbon  
Hazardous Polymerization: Will not occur

SECTION VI - HEALTH HAZARD DATA

Effects of Overexposure:

Acute: N/A

Chronic: This product contains small amounts of vinyl acetate monomer. ACGIH evaluated vinyl acetate (1993) as an A3-Animal Carcinogen. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes of exposure. The International Agency for Research on Cancer (IARC) published a monograph on vinyl acetate (1995). In this monograph IARC indicates "there is inadequate evidence in humans for carcinogenicity of vinyl acetate. There is limited evidence in experimental animals for carcinogenicity of vinyl acetate." Normally, this lack of conclusive evidence would place a substance in the IARC category 3 classification (Not classified as a human carcinogen). However, because vinyl acetate is metabolized to acetaldehyde, which has as IARC 2b (Possibly carcinogenic to humans) classification, it also has been listed under Category 2B.

Target Organs:

Signs and Symptoms of Exposure: N/A

Conditions Prone to Aggravation by Exposure: N/A

Carcinogenicity: No

Primary Route(s) of Entry: Eyes, Skin, Ingestion

Emergency & First Aid Procedures:

Utilize the suggested methods listed below. In emergency situations notify a physician immediately.

Skin: Wash with soap and water. Refer to physician if irritation persists.

Eyes: Flush eyes abundantly with clean water and refer to physician.

Ingestion: Treat symptomatically and refer to physician.

Excessive Inhalation: N/A

SECTION VII - SPECIAL PRECAUTIONS

Handling & Storage:

Store away from heat or hot surfaces. Do not store below 40 Deg. F. Or above 90 Deg. F.

Other Precautions: N/A

COMPANY IDENTITY: ALBATROSS U.S.A., INC.  
PRODUCT IDENTITY: ALBATROSS SAFE-T-TACK

DATE: 4/07/00  
PAGE 3

SECTION VIII - SPILL OR LEAK PROCEDURES

**For Spills or Released Material:**

Absorb spill in sand, earth, vermiculite, Oil-Dri, or Sol-Speed-Dri. Shovel absorbed material into steel container and cover.

**Waste Disposal Method:**

Dispose of in accordance with federal, state, and local chemical and solvent waste disposal regulations.

SECTION IX - SAFE HANDLING AND USE INFORMATION

**Respiratory Protection:** N/A

**Ventilation:** As specified.

**Local Exhaust:** Remove vapors during processing.

**Mechanical Exhaust:** Explosion-proof equipment.

**Special:** N/A

**Protective Gloves:** No gloves

**Eye Protection:** Safety glasses

**Other Protective Equipment:** N/A

**Hygienic Practices:**

Keep area clean. Clean up spills immediately. Practice good personal hygiene.

**Disclaimer Liability:** Since conditions or methods of use are beyond our control - we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate but all statements or suggestions are made without warranty - express or implied regarding the accuracy of the information - the hazards connected with the use of the product or the results to be obtained from the use thereof. Compliance with all federal, state and local laws and regulations remains the responsibility of the user.

**User's Responsibility:** This MSDS cannot cover all possible situations which the user may experience during processing. You should examine each aspect of your operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee training programs for your operation.