



ALBATROSS® USA INC

Material Safety Data Sheets

WISH Screen Wash

COMPANY IDENTITY: ALBATROSS® USA INC DATE 7/17/97

PRODUCT IDENTITY: ALBATROSS WISH Screen Wash

MATERIAL SAFETY DATA

This MSDS Complies with 29CFR 1910.1200 (Hazard Communication Standard)

IMPORTANT: Read this MSDS before handling & disposing of this product.

Pass this information on to employees, customers, & users of this product.

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Albatross® WISH Screen Wash

Name: ALBATROSS USA INC.
Address: 36-41 36th Street
City: Long Island City, NY 11106
Phone: 718-392-6272

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident

Call CHEMTREC- Day or Night: 800-424-9300

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS CAS# %(by weight)

Dipropylene Glycol

Monomethyl Ether ACET 88917-22-0 100.0

SECTION 3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Eye: May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin: Exposure can cause skin irritation. Symptoms may include redness, burning, and skin damage. Skin absorption is possible, and may contribute to symptoms of toxicity from other routes of exposure.

Swallowing: Single dose oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful.

Inhalation: Exposure to vapor or mist is possible. Short-term inhalation

36-41 36th St.,
P.O. Box 6204
Long Island City,
NY 11106, U.S.A.

Phone

718-392-6272
800-233-4468

Fax

718-392-2899

E-Mail

sales
@albatross-usa.com

**Click here to
learn about
our Special of
the Month**

toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects; breathing large amounts may be harmful.

Symptoms of Exposure: Gastrointestinal irritation (nausea, vomiting, diarrhea), irritation (nose, throat, respiratory tract), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), and death.

Target Organ Effects: No data

Developmental Information: No data

Cancer Information: No data

OTHER HEALTH EFFECTS: No data

PRIMARY ROUTE(S) OF ENTRY: Inhalation, Skin absorption, Skin Contact.

SECTION 4. FIRST AID MEASURES

EYES: If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

SWALLOWING: If swallowed, seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. If individual is conscious and alert, induce vomiting by giving syrup of ipecac or by gently placing two fingers at the back of the throat. If possible, do not leave individual unattended.

INHALATION: If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

NOTE TO PHYSICIANS: No data.

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT: 186.0 F(85.5 C) SETA

EXPOLOSIVE LIMIT: (for product) Lower 1.1 Upper 3.0%

AUTOIGNITION TEMPERATURE: No Data

HAZARDOUS PRODUCTS OF COMBUSTION: May form: carbon dioxide and carbon monoxide, various hydrocarbons.

FIRE AND EXPLOSION HAZARDS: Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, other flames and ignition sources at locations distant from material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

EXTINGUISHING MEDIA: Alcohol foam, water fog, carbon dioxide, dry chemical.

FIRE FIGHTING INSTRUCTIONS: Wear a self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment section of this MSDS.

NFPA RATING: Not determined.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb liquid on vermiculite, floor absorbent or other absorbent material.

LARGE SPILL: Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. If runoff occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

SECTION 7. HANDLING AND STORAGE

HANDLING: Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. All five-gallon pails and larger metal containers, including tank cars and tank trucks, should be grounded and/or bonded when material is transferred.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

SKIN PROTECTION: Wear resistant gloves such as: To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

RESPIRATORY PROTECTIONS: If workplace exposure limit(s) of product or any component is exceeded (see exposure guidelines), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your industrial hygienist). Engineering or administrative controls should be implemented to reduce exposure.

ENGINEERING CONTROLS: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

EXPOSURE GUIDELINES COMPONENT: DIPROPYLENE GLYCOL MONOMETHYL ETHER ACET (88917-22-0): No exposure limits established.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (for product): 408.0 F (209.8 C) @760 mmHg

VAPOR PRESSURE: (for product) < 1.550 mmHg @68.00 F

SPECIFIC VAPOR DENSITY: No data

SPECIFIC GRAVITY: .976 @77.00 F

LIQUID DENSITY: 8.120 lbs/gal @77.00 F

PERCENT VOLATILES: No data

.976 kg/l @25.00 C

VOLATILE ORGANIC COMPOUNDS (VOC): 100.000% 976.000 g/l 8.120 lbs/gal

EVAPORATION RATE: Slower than ethyl ether

APPEARANCE: Colorless Liquid

STATE: Liquid

PHYSICAL FORM: Neat

Color: Clear, Apha color 15 max

ODOR: Sweet Ether-Like odor

pH: No data

SOLUBILITY IN WATER: Moderate

BULK DENSITY: 1.090 lbs/ft³

SECTION 10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Product will not undergo hazardous polymerization.

HAZARDOUS DECOMPOSITION: May form: carbon dioxide and carbon monoxide, various hydrocarbons.

CHEMICAL STABILITY: Stable.

INCOMPATIBILITY: Avoid contact with: strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

No Data

SECTION 12. ECOLOGICAL INFORMATION

No Data

SECTION 13. DISPOSAL CONSIDERATION

WASTE MANAGEMENT INFORMATION: Dispose of in accordance with all applicable local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT INFORMATION- 49 CFR 172.101

DOT Description: 49cfr172.101 (1 & 5 gal. Container)- Not Regulated

(55 Gal. Drum) - Combustible Liquid, N.O.S. NA 1993, III

CONTAINER/MODE: 55 Gal Drum/Truck Package

NOS COMPONENT: Dipropylene Glycol Monomethyl Ether Acet

RQ (Reportable Quantity) - 49 CFR 172.101: Not applicable

SECTION 15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA (Toxic Substances Control Act) Status: TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 302.4(a): None Listed

SARA 302 Components - 40 CFR 355 Appendix A: None

Section 311/312 Hazard Class - 40 CFR 370.2:
Immediate (X) Delayed () Fire(X)

Reactive () Sudden Release of Pressure ()

SARA 313 Components - 40 CFR 372.65: None

INTERNATIONAL REGULATIONS

Inventory Status: Not determined

STATE AND LOCAL REGULATIONS

California Proposition 65: None

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

[Click here to go to the Albatross USA Inc Home Page](#)