



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Supplier: Autotype Americas Inc
2050 Hammond Drive
Schaumburg, IL 60173
Telephone: 847-303-5900
Emergency telephone 800-424-9300

Product Name: 6% ACTIVATOR SOLUTION

Product Description: Hydrogen Peroxide Solution

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

NAMES	CONCENTRATION	SYMBOL	R/S-PHRASES	REGISTRATION NOS
Hydrogen peroxide	6%	O, C	R8, R34 S3 S28,S36/39 S45	CAS NO: 7722-84-1 EC NR: 231-765-0

3. HAZARD IDENTIFICATION

Oxidising, irritating to eyes and skin.

4. FIRST AID MEASURES

Inhalation:
Not applicable.

Ingestion:
Drink water. Get medical aid.

Eye Contact:
Irrigate with water for 15 minutes.

Skin Contact:
Wash thoroughly with plenty of water. Get medical aid.

Further Medical Treatment:
Seek medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHER MEDIA Suitable: Water Not Suitable: CO2, BFC.

Exposure Hazards:
Oxides of Nitrogen and Carbon.

Protective Equipment:
Wear breathing apparatus if other combustibles are present and burning.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:
Gloves, skin protection.

Enviromental Precautions:
Protect drains.

Methods for Cleaning:
Collect for chemical disposal. Flush with excess water.

7. HANDLING & STORAGE

Store in cool, dry conditions in original container. Avoid heat, sunlight, moisture and contamination.
Do not rebottle used solution.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls:
Pure Hydrogen Peroxide 1ppm (gas).

Respiratory Equipment:
Not applicable.

Hand Protection:
Rubber/PVC gloves.

Eye Protection:
Goggles.

Other Protection:
Rubber apron for large quantities.

6% ACTIVATOR SOLUTION

Sheet 3 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Colourless liquid	Colour:	None.
Odour:	None.	pH:	5-6
Boiling Point:	100°C.	Melting Point	N/A
Flash Point:	N/A	Flammability:	None.
Autoflammability:	N/A	Explosive Limit:	N/A
Oxidising Properties:	Oxidiser.	Vapour Pressure:	As water.
Relative Density:	@ 20°C 1.3g/cm ³ .	Solubility in Water:	Infinite
Viscosity:	N/A		

10. STABILITY AND REACTIVITY

Stability: Stable @<61°C

Conditions to Avoid:

Heat.

Materials to Avoid:

Acids, reducing agents, heavy metals, alkalis. Do not store or use near Autostrip (periodates)

Hazardous Decomposition Products:

Oxygen (may cause pressure build up).

Ammonia.

11. TOXICOLOGICAL INFORMATION**Inhalation:**

Not applicable.

Ingestion:

Blistering of mucous membrane, swelling.

LD50=4060 mg/Kg Skin-Rat

Skin Contact:

Irritation, reddening, blistering.

Eye Contact:

Irritation, corneal damage.

Long Term Exposure:

No recorded incidents.

12. ECOLOGICAL INFORMATION

This product is a solution containing hydrogen peroxide. It is not an organic peroxide. It does not contain any materials on the EC Black/Grey lists. In concentrated form the product can show biocidal activity but in typical effluent concentrations, tests have shown no inhibition of activated sludge and washings may be regarded as drain safe and biodegradable.

13. DISPOSAL CONSIDERATIONS

Strictly by authorised chemical disposal.

14. TRANSPORTATION INFORMATION

This product is not hazardous for shipment.

15. REGULATORY INFORMATION

Classification:



Not classified under Canadian Class C or E

Contains:

Hydrogen peroxide

Irritant

R-Phrases:

R36/R38 Irritating to eyes and skin.

S-Phrases:

S37/S39 Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

Read the instructions carefully before using.

N/A - Not Applicable

The information and recommendations contained in the Company's literature or elsewhere are based on knowledge at the time of printing and are believed to be accurate. Whilst such details are printed in good faith, they are intended to be a guide only and shall not bind the Company. Due to constant development, customers are urged to obtain up-to-date technical information from representatives of the Company and not to rely exclusively on printed material. Customers are reminded of the importance of obtaining and complying with instructions for the handling and use of chemicals and materials supplied as the Company cannot accept responsibility for any loss or injury caused through non-compliance.

Date of Printing

12/26/2002