

# Material Safety Data Sheet

**AUTOSOL CLASSIC/TXD/XL/ 2000,7000,8000**  
**QUICK IDENTIFIER**

Common Name: (used on label and list)

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements

## SECTION 1 -

Manufacturer's

Name: AUTOTYPE AMERICAS INC

Address: 2050 HAMMOND DRIVE

Emergency Telephone No: CHEMTREC:- 1-800-424-9300  
Autotype UK:- 011 44 1235 770063

City, State, and ZIP: SCHAUMBURG, ILLINOIS 60173-3810  
USA

Other Information Calls: Autotype UK:- 011 44 1235 771111  
Autotype USA:- 1-847-303-5900

Signature of Person Responsible for Preparation (Optional)

Date Prepared: April 2001

## SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	OSHA PEL	ACGIH TLV	Other Exposure Limits	% (optional)	CAS No
--	----------	-----------	-----------------------	--------------	--------

Pigmented aqueous emulsion of water dispersible polymers, containing up to 20% acrylate oligomers. The acrylate fraction is of low draize irritation index as approved by SBPIM.

CONTAINS NO VOLATILE ORGANIC COMPOUNDS OR PHOTOCHEMICALLY REACTIVE SOLVENTS.

NOT REPORTABLE UNDER SARA TITLE S.313 40 CFR 372.65

## SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity (H <sub>2</sub> O=1)	Vapor Pressure (mm (Hg))
100°C	1.05	As water

Vapor Density (Air = 1) N/A

Solubility in Water	Reactivity in Water
Miscible	N/A

Appearance and Odor	Melting Point
Violet blue emulsion	N/A

## SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	Method Used	Flammable Limits in Air % by Volume	LEL Lower	UEL Upper
N/A			N/A	N/A

Auto-Ignition Temperature	Extinguisher Media
N/A	N/A

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A

HMIS RATING	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	0B

**SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)AUTOSOL CLASSIC/ TXD/  
XL/2000/7000/8000**

Stability	Unstable ✓ Stable	Conditions to Avoid	
Incompatibility (Materials to Avoid)	None		
Hazardous Decomposition Products	None		
Hazardous Polymerization	May occur ✓ Will not occur	Conditions to Avoid	Sunlight / Heat

**SECTION 6 - HEALTH HAZARDS**

1. Acute	Possible irritation	2. Chronic	No recorded incidents.
Signs and Symptoms of Exposure	Possible irritation of eyes or skin with sensitive individuals. Draize Irritation Index <0.2/8 minimal		

Medical Conditions Generally Aggravated by Exposure **Skin sensitivity**

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes No ✓	IARC Monographs	Yes No ✓	OSHA	Yes No ✓
--	--------------------------------	-------------	--------------------	-------------	------	-------------

Emergency and First Aid Procedures **See below:-**

**ROUTES  
OF  
ENTRY**



1. Inhalation N/A
2. Eyes Irrigate with clean water for 15 minutes, get medical aid.
3. Skin Wash thoroughly with soap and water.
4. Ingestion Dilute and get physician to administer emetic.

**SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**

Precautions to be Taken in Handling and Storage **Cool storage in original containers away from heat and light.**

Other Precautions **N/A**

Steps to be Taken in Case Material is Released or Spilled **Small quantities flush to waste with dilution. Large quantities absorb with sand and transfer to safe site.**

Waste Disposal Methods (Consult federal, state and local regulations) **Authorised industrial chemical disposal.**

**SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES**

Respiratory Protection (Specify Type) **Not normally required.**

Ventilation ✓	Local Exhaust N/A	Mechanical (General) ✓	Special N/A	Other N/A
---------------	-------------------	------------------------	-------------	-----------

Protective Gloves **PVC/Rubber** Eye Protection **Goggles**

Other protective Clothing or equipment **Overalls**

Work/Hygienic Practices **Refer to Product Data Sheet. Avoid Skin contact.**

**IMPORTANT**

**Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate.**