

MATERIAL SAFETY DATA SHEET

CPS Screen Wash V(3)x

Distributor: Autotype USA
Address: 2050 Hammond Drive
Schaumburg
IL 60173-3810

IMPORTANT: Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

Telephone No.:
EMERGENCY 1-800-424-9300
Information 1-708-303-5900

Rev. Date: November 1992
Last Rev. Date:

Section I		Identity		
Product Code:		HMIS-rating:		
Product Name:	CPS Screen Wash V(3)x	Health:	1	
Class:	Organic solvent mixture	Flammability:	2	
All chemicals included in the product are TSCA listed.		Reactivity:	0	
		Personal Protection:	B	
Section II		Harzardous Ingredients		
This product is covered by the OSHA Hazard Communication Rule 29 CFR 1910.1200 and this document has been prepared in accordance with MSDS requirement of the rule. Substances listed in the Ingrediens Section are only those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is on the list of potential carcinogens cited in OSHA Hazard Communication Standard.				
	% By Wt.	ACGIH-TLV mg/m ³ ppm	C.A.S. Reg. No.	OSHA PEL
Glycol Ether (Propylene Glycol Ether)	60	100	34590-24-8	100
Other ingredients withheld as trade secret information permitted by 29 CFR 1910.1200 and New Jersey tradesecret reg. TSRN 80100319-5010/11/12/13/14 p. All necessary information concerning the properties of the product are enclosed below. Vapor pressure is 1.1 mm Hg/20°C. This complies with California Rule 1171 for solvent and clean up materials. CPS Screen Wash V(3)x is "readily" biodegradable.				
SECTION III		Physical Data		
Boiling point (range):	284 - 464 °F	Specific gravity (H ₂ O=1):	0.93	
Vapor pressure (mmHg/20°C):	3.8	Freezing pt. (°F):	NA	
Vapor density (air=1):	NA	Evap. rate (BuAc=100):	1.3	
% volatile by volume:	100			
Solubility in water:	Not soluble			
Photochemically reactive solvent:	None			
Volatile organic compounds:	930 g/L			
Appearance and odor:	Clear liquid, ethereal odor.			

CPS Screen Wash V(3)x - continued

Section IV		Fire and Explosion Hazard Data				
Flash Point (°F):	131 (SETA Flash)	Flammable limits:	LEL: NDA	UEL: NDA		
Extinguishing media:	Dry chemical, CO ₂ , foam, water.					
Special fire fighting procedures:	Use self contained breathing apparatus. Cool fire exposed containers with water spray. Notify authorities if material enter sewers or public water.					
Unusual fire and explosion hazard:	Closed containers may rupture if heated. Empty containers may contain residue which can ignite explosively if heated by a cutting or welding torch. Spray or mist may be combustible at temperatures below flash point.					
Section V		Reactivity Data				
Stability:	Stable					
Conditions to avoid:	High temperatures, excessive exposure to air.					
Incompatibility (MTL's to avoid):	Strong oxidizers.					
Hazardous decomposition or by-products:	Carbon dioxide, carbon monoxide.					
Hazardous polymerisation:	Will not occur.					
Conditions to avoid:	NA					
Section VI		Health Hazard Data				
Route(s) of entry:	Inhalation?	Yes	Skin?	Yes	Ingestion?	No
Carcinogenicity:	NTP?	No	IARC monographs?	No	OSHA regulations:	No
Health Hazards:						
Eyes:	May cause irritation.					
Skin:	May cause irritation.					
Inhalation:	May cause respiratory track irritation, narcosis.					
Ingestion:	This material may be a slight health hazard if ingested in large quantities.					
Signs and symptoms of exposure:						
Eyes:	Burning sensation, redness, tearing.					
Skin:	Redness, drying, dermatitis.					
Inhalation:	Nose and throat, irritation, headache, nausea, loss of coordination, dizziness.					
Ingestion:	Internal discomfort, nausea, vomiting, diarrhea.					
Medical conditions generally aggravated by exposure:	Skin conditions.					
EMERGENCY AND FIRST AID PROCEDURES:						
Eyes:	Immediately flush with plenty of water for at least 15 minutes. Get medical attention.					
Skin:	Wash thoroughly with soap and water.					
Inhalation:	Remove to fresh air.					
Ingestion:	If victim is alert, give 8 to 16 oz. of water or milk. Do not induce vomiting. If more than a few drops were swallowed, contact a poison control center or physician.					
Section VII		Precautions for Safe Handling Use				
Steps to be taken in case material is released or spilled:						
Immediately remove all sources of ignition and ventilate area. Absorb with suitable material and place in closed container for disposal.						
Waste disposal method:	Incinerate in accordance with all local, state and federal regulations. EPA hazardous waste number is D001.					

CPS Screen Wash V(3)x - continued

Precautions to be taken in handling and storage:

Avoid contact with eyes, skin or clothing. Avoid breathing mist or vapor. Use only with adequate ventilation. Do not swallow. Keep away from heat, sparks or flame. Keep containers closed when not in use.

Other precautions:

Warning: Causes eye irritation.
Harmful if inhaled or swallowed.
May cause skin irritation.
Flammable liquid and vapor.

Section VIII

Control Measures

Respiratory protection:

Use an organic vapor respirator if TLV may be exceeded.

Ventilation:

Provide adequate ventilation to prevent exceeding TLV. Use local exhaust if necessary.

Protective gloves:

Chemical resistant (viton, butyl rubber, nitrile rubber, neoprene).

Eye protection:

Splashproof goggles, face shield.

Other protective clothing or equipment:

Eyewash, impervious apron.

Section IX

Additional Information

"The data in this MSD sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or process. The information represents our current data and best opinion as to the proper use in handling of this product under normal conditions.

Therefore, although reasonable care has been taken in the preparations of such information, CPS extends no warranties, makes no representation and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its uses."

Note: NA - Not applicable

NDA - No data available

NE - Not established