

MATERIAL SAFETY DATA SHEET

\*\*\*\*\*SECTION 1\*\*\*\*\*

GENERAL FORMULATIONS, INC.  
320 SOUTH UNION P.O. BOX 158  
SPARTA, MICHIGAN 49345

EMERGENCY TELEPHONE: (616)887-7387 (800)424-9300 (CHEMTREC)

PRODUCT CODE:  
PRODUCT NAME: COMP-U-CUT FLEXIBLE VINYL

\*\*\*\*\* SECTION 2 HAZARDOUS INGREDIENTS\*\*\*\*\*

GENERAL FORMULATIONS COMP-U-CUT FLEXIBLE VINYL MAY CONTAIN  
TRACE AMOUNTS OF THE FOLLOWING:

	CAS #	% WEIGHT	TLV	
ETHYL ACETATE	141786	TRACE	100	ACGIH
ISOPROPANOL	67630	TRACE	400	ACGIH
HEXANE	110543	TRACE	50	ACGIH
ETHANOL	64175	TRACE	1000	ACGIH
TOLUENE	108883	TRACE	200	ACGIH

\*\*\*\*\*SECTION 3 PHYSICAL DATA\*\*\*\*\*

BOILING POINT NA  
VAPOR PRESSURE (MM HG @ 20 CELCIUS) NA  
VAPOR DENSITY ( AIR =1) NA  
SOLUABILITY IN WATER NA  
SPECIFIC GRAVITY (H2O=1) VARIES  
PERCENT VOLATILE ( BY WEIGHT) <2% BY ADHESIVE  
WEIGHT  
EVAPORATION RATE (N-BUTYL ACETATE=1) NA  
APPEARANCE VARIOUS COLORS  
ODOR SLIGHT

\*\*\*\*\* SECTION 4 FIRE & EXPLOSION HAZARD\*\*\*\*\*

FLASH POINT (DEGREES FAHRENHEIT TCC) NA  
EXPLOSIVE LIMITS LEL-UEL NA  
EXTINGUISHING MEDIA CARBON DOIXIDE  
DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES WEAR SELF  
CONTAINED  
BREATHING  
APPARATUS WEAR  
PROTECTIVE  
CLOTHING TO PRE-  
VENT CONTACT  
WITH SKIN

UNUSUAL FIRE AND EXPLOSION HAZARDS DECOMPOSITION BY  
BURNING MAY  
YIELD TOXIC GAS

\*\*\*\*\* SECTION 5 HEALTH HAZARD DATA\*\*\*\*\*

THRESHOLD LIMIT VALUE NA  
EFFECTS OF SINGLE OVER EXPOSURE NA  
EFFECTS OF CHRONIC OVER EXPOSURE NA

EMERGENCY AND FIRST AID PROCEDURES IF EXPOSED TO FUMES FLUSH  
EYES AND SKIN WITH COOL  
WATER. GET MEDICAL ATTENT-  
ION.

\*\*\*\*\*SECTION 6 SPECIAL PRECAUTIONS\*\*\*\*\*

RESPIRATORY PROTECTION NA

VENTILATION PROVIDE SUFFICIENT VENT-  
ILATION IF EXPOSED TO  
HOT PROCESSING.

EYE PROTECTION NA

PROTECTIVE CLOTHING NA

OTHER NO EVIDENCE OF ILL EFFECTS  
RECORDED. HOWEVER,  
INGESTION OF LARGE AMOUNTS  
MAY HAVE AN IRRATING  
ACTION ON THE THROAT.

\*\*\*\*\*SECTION 7 REACTIVITY DATA\*\*\*\*\*

STABILITY STABLE UNDER FORESEEABLE  
CONDITIONS.

INCOMPATIBILITY NA

HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE, CARBON  
MONOXIDE, ACRYLIC  
MONOMERS, SMOKE AND OTHER  
POSSIBLE TOXIC  
DECOMPOSITION PRODUCTS.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

\*\*\*\*\*SECTION 8 SPILL OR LEAK PROCEDURES\*\*\*\*\*

IF MATERIAL IS RELEASED OR  
SPILLED NA

WASTE DISPOSAL METHOD INCINERATION RECOMMENDED.  
DISPOSE OF IN COMPLIANCE  
WITH FEDERAL, STATE AND  
LOCAL REGULATIONS.

