

## MATERIAL SAFETY DATA SHEET

---

PRODUCT IDENTITY/TRADE NAME: KIWOCOL POLY PLUS HV

MANUFACTURER: KISSEL & WOLF, POB 1326, D6908 WIESLOCH, WEST GERMANY

IMPORTER: KIWO, INC.

ADDRESS: 1929 MARVIN CIRCLE, P.O. BOX 1009, SEABROOK, TX 77586

INFORMATION TELEPHONE NUMBER: 281-474-9777

---

### HAZARD DATA SECTION

HAZARDOUS INGREDIENTS	% RANGE	CAS #
WATER	37-57%	
POLYVINYL ALCOHOL	1-15%	9002-89-5
POLYVINYL ACETATE	2-22%	9003-20-7
DIBUTYL PHTHALATE	1.80%	84-74-2
POLYESTER RESIN MIXTURE	5-25%	63225-53-6
ACRYLIC OLIGOMER	1-21%	UNKNOWN
PHTHALOCYANINE PIGMENT	0-5%	147-14-8

BOILING POINT: APPROX. 100 °C    VAPOR PRESSURE: UNKNOWN

SOLUBILITY: SOLUBLE IN WATER

SPECIFIC GRAVITY: 1.06

APPEARANCE AND ODOR: BLUE VISCOUS LIQUID

---

### PHYSICAL HAZARD DATA

COMPRESSED GAS: NO                      PYROPHORIC: NO

OXIDIZER: NO                              ORGANIC PEROXIDE: NO

FLAMMABLE/COMBUSTIBLE: NO        FLASH POINT: NONE

EXTINGUISHING MEDIA: NON-COMBUSTIBLE, USE ANY EXTINGUISHING AGENT APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIREFIGHTING PROCEDURES: NONE

EXPLOSIVE: NO

REACTIVITY/INCOMPATIBILITY: HIGH CONCENTRATIONS OF ACIDS OR SALTS WILL INITIATE NON-HAZARDOUS CROSS-LINKING. DIBUTYL PHTHALATE REACTS EXPLOSIVELY WITH LIQUID CHLORINE.

SPECIAL STORAGE PRECAUTIONS: STORE IN A COOL, DRY DARK PLACE. MATERIAL IS LIGHT SENSITIVE.

---

**HEALTH HAZARD DATA**

ACUTE EFFECTS OF OVEREXPOSURE: DIRECT CONTACT OF LIQUID WITH EYE MAY CAUSE IRRITATION. PROLONGED CONTACT WITH THE SKIN MAY CAUSE IRRITATION. INHALATION OF SPRAY MAY CAUSE THROAT AND MUCOUS MEMBRANE IRRITATION. INGESTION MAY CAUSE NAUSEA, DIZZINESS, LACRIMATION, AND CONJUNCTIVITIS.

CHRONIC EFFECTS OF OVEREXPOSURE: NONE KNOWN. ANIMAL STUDIES WITH DIBUTYL PHTHALATE HAVE SHOWN AN INCREASE IN BIRTH DEFECTS AND REPRODUCTIVE DAMAGE IN EXPOSED ANIMALS. SENSITIZATION TO ACRYLIC OLIGOMERS IS POSSIBLE IN SOME INDIVIDUALS.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: INDIVIDUALS WITH KIDNEY IMPAIRMENT OR DISEASE SHOULD BE PRECLUDED FROM EXPOSURE TO DIBUTYL PHTHALATE. INDIVIDUALS SENSITIVE TO ACRYLIC OLIGOMERS.

PRIMARY ROUTE(S) OF EXPOSURE: EYE, SKIN, INGESTION, INHALATION.

LISTED CARCINOGEN: NO

EXPOSURE LIMITS	OSHA PEL	ACGIH TLV
DIBUTYL PHTHALATE	5 MG/M3	5 MG/M3

FIRST AID: SKIN-RINSE WITH PLENTY OF WATER. EYE CONTACT- FLUSH WITH WATER, SEE PHYSICIAN IF IRRITATION PERSISTS. INGESTION-GIVE WATER, INDUCE VOMITING, GET IMMEDIATE MEDICAL ATTENTION.

**SAFE HANDLING PROCEDURES**

HYGIENIC PRACTICES: WASH AFTER HANDLING, AVOID PROLONGED SKIN CONTACT.

SPECIAL PROTECTIVE MEASURES FOR REPAIR/MAINTENANCE OF CONTAMINATED EQUIPMENT: FOLLOW ALL NORMAL USE PRECAUTIONS.

SPILL HANDLING/CLEAN-UP: CONTAIN SPILL, COLLECT OR ABSORB, RINSE SMALL SPILLS WITH WATER. USE APPROPRIATE PROTECTIVE EQUIPMENT TO PREVENT UNNECESSARY CONTACT DURING CLEANUP.

**CONTROL MEASURES**

RECOMMENDED ENGINEERING CONTROLS: NONE REQUIRED FOR NORMAL USE. IF USE GENERATES MIST OR VAPORS, LOCAL EXHAUST VENTILATION SHOULD BE USED TO CONTROL EXPOSURE.

RECOMMENDED WORK PRACTICES: KEEP CONTAINERS CLOSED WHEN NOT IN USE, WASH AFTER USE.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: NONE NORMALLY REQUIRED

GLOVES: IMPERVIOUS GLOVES MAY BE USED

EYE PROTECTION: SAFETY GLASSES RECOMMENDED, DO NOT WEAR CONTACT LENSES WHEN WORKING WITH THIS OR ANY OTHER CHEMICAL.

OTHER: EYE WASH

---

COMMENTS: FOR INDUSTRIAL / COMMERCIAL USE ONLY

---

**REGULATORY STATUS**

TSCA - ALL INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY

THE FOLLOWING CHEMICAL INGREDIENTS ARE REGULATED UNDER PROPOSITION 65 OF THE STATE OF CALIFORNIA

NONE

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372 (SARA 313 - TOXIC CHEMICAL RELEASE REPORTING.)

DIBUTYL PHTHALATE	1.80%	84-74-2
-------------------	-------	---------

---

DATE PREPARED/UPDATED: APRIL 5, 2001  
PREPARED BY: CLARK KING, EXEC. V.P., KIWO, INC.