

---

**MATERIAL SAFETY DATA SHEET**

---

PRODUCT IDENTITY / TRADE NAME: KIWOTEX STRIPPER

MANUFACTURER: KIWO, INC.

ADDRESS: 1929 MARVIN CIRCLE, P.O. BOX 1009, SEABROOK, TX 77586

INFORMATION TELEPHONE NUMBER: 281-474-9777

---

**HAZARD DATA SECTION**

| HAZARDOUS INGREDIENTS   | %RANGE | CAS NUMBER |
|-------------------------|--------|------------|
| NAPHTHA SOLVENT         | 45-65% | 64742-95-6 |
| GLYCOL ETHER PM         | 10-30% | 107-98-2   |
| METHOXYPROPANOL ACETATE | 20-40% | 108-65-6   |

BOILING POINT: 250-330øF      VAPOR PRESSURE: 3 MM HG

SOLUBILITY: INSOLUBLE IN WATER    DENSITY: 0.908 G/CM2

APPEARANCE AND ODOR: COLORLESS LIQUID, LIGHT ESTER ODOR

---

**PHYSICAL HAZARD DATA**

COMPRESSED GAS: NO      PYROPHORIC: NO    OXIDIZER: NO

ORGANIC PEROXIDE: NO    FLAMMABLE/COMBUSTIBLE: YES

FLASH POINT: 97øF (36øC)

EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, FOAM, WATER FOG

SPECIAL FIREFIGHTING PROCEDURES: WEAR SCBA AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

EXPLOSIVE: YES      LEL: 1.9 %      UEL: 12.0%

REACTIVITY/INCOMPATIBILITY: STRONG OXIDIZING AGENTS, STRONG ACIDS AND ALKALIES.

HAZARDOUS DECOMPOSITION PRODUCTS: COMBUSTION PRODUCTS CAN INCLUDE CO, CO2, VARIOUS HYDROCARBONS

SPECIAL STORAGE PRECAUTIONS: KEEP CONTAINERS CLOSED. STORE IN A COOL, DRY, WELL-VENTILATED PLACE AWAY FROM HEAT OR SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS.

---

## **HEALTH HAZARD DATA**

ACUTE EFFECTS OF OVEREXPOSURE: IRRITATION OF EYES,SKIN, MUCOUS MEMBRANES.

CHRONIC EFFECTS OF OVEREXPOSURE: NONE KNOWN

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: EXISTING DERMATITIS MAY BE AGGRAVATED.

PRIMARY ROUTE(S) OF EXPOSURE: EYE, SKIN, INHALATION

LISTED CARCINOGEN: NO

EXPOSURE LIMITS: NONE

FIRST AID: EYES-FLUSH WITH WATER 15 MINUTES, SEE PHYSICIAN. SKIN-WASH WITH SOAP AND WATER, REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE RE-USE. INHALATION- REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF NEEDED. INGESTION- DRINK LOTS OF WATER, GET IMMEDIATE MEDICAL ATTENTION.

---

## **SAFE HANDLING PROCEDURES**

HYGIENIC PRACTICES: NORMAL GOOD HOUSEKEEPING, WASH WELL AFTER USE.

SPECIAL PROTECTIVE MEASURES DURING REPAIR/MAINTENANCE OF CONTAMINATED EQUIPMENT: ADDITIONAL PROTECTIVE CLOTHING AND/OR RESPIRATORY PROTECTION MAY BE NEEDED TO PREVENT OVER-EXPOSURE.

SPILL HANDLING/CLEAN-UP: REMOVE ALL SOURCES OF IGNITION, VENTILATE, CONTAIN SPILL, DON APPROPRIATE PROTECTIVE CLOTHING AND EQUIPMENT. ABSORB, PICK UP AND PLACE IN CONTAINERS FOR DISPOSAL. KEEP ALL SOURCES OF IGNITION AWAY UNTIL ALL VAPORS HAVE DISSIPATED.

---

## **CONTROL MEASURES**

RECOMMENDED ENGINEERING CONTROLS: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT (APPROXIMATELY 10 AIR CHANGES PER HOUR)

RECOMMENDED WORK PRACTICES: KEEP CONTAINERS CLOSED WHEN NOT IN USE. NO SMOKING OR IGNITION SOURCES IN USE AREAS.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: RESPIRATOR SELECTION DEPENDS ON CONTAMINANT TYPES AND FORM. IF NEEDED, CONSULT AN INDUSTRIAL HYGIENIST FOR ASSISTANCE IN SELECTION AND USE.

GLOVES: GLOVES RECOMMENDED IF SKIN CONTACT IS PROLONGED.

EYE PROTECTION: CHEMICAL SAFETY GOGGLES

OTHER: EYE WASH, WASHING FACILITIES, IMPERVIOUS APRON OR OTHER CLOTHING AS NEEDED TO LIMIT SKIN CONTACT OR CLOTHING CONTAMINATION.

---

COMMENTS: FOR INDUSTRIAL/COMMERCIAL USE ONLY

---

**REGULATORY STATUS**

TSCA - ALL INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY

THE FOLLOWING CHEMICAL INGREDIENTS ARE REGULATED UNDER PROPOSITION 65 OF THE STATE OF CALIFORNIA

NONE

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372 (SARA 313 - TOXIC CHEMICAL RELEASE REPORTING.)

NONE

VOC CONTENT 6.72 POUNDS/GALLON 840 GRAMS/LITER

---

DATE PREPARED/UPDATED: MAY 23, 2001  
PREPARED BY: CLARK KING, EXEC.V.P., KIWO, INC.