

MATERIALSAFETYDATASHEET

17050GNSBLUEGRAY3Version Number 1.0
RevisionDate 06/10/2002Page 1 of 7
PrintDate 11/24/2003**1.PRODUCTANDCOMPANYIDENTIFICATION****POLYONECORPORATION**
2700PapinStreet,St.Louis,MO63103

NON-EMERGENCY TELEPHONE : ProductStewardship,(314)771-1800

Emergencytelephone number : **CHEMTREC1-800-424-9300(24hrsforspill,leak,fire,exposure oraccident).**

Productname : 17050GNSBLUEGRAY3

Productcode : FO00000676

ChemicalName : Mixture

CAS-No. : Mixture

ProductUse : IndustrialApplications

2.COMPOSITION/INFORMATIONONHAZARDOUSINGREDIENTS

Components	CAS-No.	Weight%
1,2-Benzenedicarboxylicacid,butyl phenylmethylester	85-68-7	1- 5
Carbonblack	1333-86-4	0.1- 1
Silica,amorphous	7631-86-9	1- 5
Calciumcarbonate	1317-65-3	10- 30
Titaniumdioxide	13463-67-7	10- 30

3.HAZARDSIDENTIFICATION**EMERGENCYOVERVIEW**

Thismixturehasnotbeenevaluatedasawholeforhealtheffects.Informationprovidedonhealth effectsofthisproductisbasedontheindividualcomponents.However,somevaporsorcontaminants maybereleaseduponheatingandtheend-user(fabricator)musttakethenecessaryprecautions (mechanicalventilation,respiratoryprotection,etc.)toprotectemployeesfromexposure.See sections8and11forspecialprecautions.

POTENTIALHEALTHEFFECTS**RoutesofExposure:** : Inhalation,Skincontact,Ingestion**Acuteexposure**

Inhalation : Inhalationofairbornedropletsmaycauseirritationoftherespiratory tract.

Ingestion : Maybeharmfulifswallowed.

Eyes : Maycauseeye/skinirritation.

Skin : Experienceshowsnounusualdermatitishazardfromroutinehandling.

MATERIAL SAFETY DATA SHEET

17050GNSBLUEGRAY3

Version Number 1.0
RevisionDate 06/10/2002

Page 2 of 7
PrintDate 11/24/2003

Chronic exposure : RefertoSection11forToxicologicalInformation.

Medical Conditions Aggravated by Exposure: : Noneknown.

4. FIRST AID MEASURES

Inhalation : Movetofreshairincaseofaccidentalinhilationoffumesfrom overheatingorcombustion. Whensymptomspersist,orinallcases ofdoubt,seekmedicaladvice.

Ingestion : Donotinducevomitingwithoutmedicaladvice. Whensymptoms persist,orinallcasesofdoubt,seekmedicaladvice.

Eyes : Rinseimmediatelywithplentyofwaterforatleast15minutes. Ifeye irritationpersists,seekmedicalattention.

Skin : Washoffwithsoapandplentyofwater. Ifskinirritationpersists seekmedicalattention.

5. FIRE-FIGHTING MEASURES

Flashpoint : Nodataavailable.

Flammable Limits

Upperexplosionlimit : Nodataavailable.

Lowerexplosionlimit : Nodataavailable.

Autoignition temperature : Notapplicable.

Suitable extinguishing media : Carbondioxideblanket,drypowder,foam,Waterspray .

Special Fire Fighting Procedures : Fullfaceself-containedbreathingapparatus(SCBA)usedinpositive pressuremodeshouldbeworn topreventinhalationofairborne contaminants.

Unusual Fire/Explosion Hazards : MayemitHydrogenChloride(HCl)orCarbonMonoxide(CO)under fireconditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wearappropriatepersonalprotectionduringcleanup,suchas imperviousgloves,bootsandcoveralls.

Environmental precautions : Shouldnotbereleasedintotheenvironment. Theproductshouldnot beallowedtoenterdrains,watercoursesorthesoil.

Methods for cleaning up : Soakupwithinertabsorbentmaterial(e.g.sand,silicagel,acid binder,universalbinder,sawdust). Packageallmaterialin appropriatecontainerfordisposal. RefertoSection13ofthisMSDS forproperdisposalmethods.

MATERIAL SAFETY DATA SHEET

17050GNSBLUEGRAY3

Version Number 1.0

Page 3 of 7

RevisionDate 06/10/2002

PrintDate 11/24/2003

7. HANDLING AND STORAGE

- Handling : Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
- Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Respiratory protection : Under normal handling conditions a respirator is not required.
- Eye/Face Protection : Safety glasses with side-shields.
- Hand protection : Protective gloves.
- Skin and body protection : Long sleeved clothing.
- Additional Protective Measures : Safety shoes.
- General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
- Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10mg/m ³	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5mg/m ³	PEL:	Respirable dust.	OSHA Z1
	15mg/m ³	PEL:	Total dust.	OSHA Z1
Carbon black	3.5mg/m ³	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5mg/m ³	PEL:	Total dust. as carbon black	OSHA Z1
Silica, amorphous	20mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10mg/m ³	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15mg/m ³	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET

17050GNSBLUEGRAY3

Version Number 1.0

Page 4 of 7

RevisionDate 06/10/2002

PrintDate 11/24/2003

Form	: Liquid	Evaporationrate	: Notestablished
Appearance	: Viscous,Liquid	SpecificGravity	: Notdetermined
Color	: GREY	Bulkdensity	: Notapplicable.
Odor	: Veryfaint	Vaporpressure	: Notdetermined
Meltingpoint/range	: Notapplicable	Vapordensity	: Notdetermined
BoilingPoint:	: Notapplicable	pH	: Notapplicable.
Watersolubility	: Immiscible		

10. STABILITY AND REACTIVITY

Stability	: Stable.
Hazardous Polymerization	: Willnotoccur.
Conditionstoavoid	: Keepawayfromoxidizingagentsandopenflame. Toavoidthermal decomposition,donotoverheat.
IncompatibleMaterials	: Incompatiblewithstrongacidsandoxidizingagents. Avoidcontact withacetalhomopolymersandacetalcopolymersduringprocessing.
Hazardousdecomposition products	: Carbondioxide(CO ₂),carbonmonoxide(CO),oxidesofnitrogen (NO _x),hydrogenchloride(HCl),otherhazardousmaterials,and smokeareallpossible. Prolongedheatingmayresultinproduct degradation.Asageneralruleofthumb,degradationbeginstooccur afteronehourat177°C(350°F),after10minutesat204°C(400 °F),andwithin5minutesat232°C(450°F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	ChemicalName	Effect	TargetOrgan
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin .
		Systemic effects	Liver, reproductive system .
1333-86-4	Carbonblack	Systemic effects	Eyes, Respiratory system .
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system .
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin .
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system .

LC50/LD50

This product contains the following components which in their pure form have the following toxicity data:

MATERIAL SAFETY DATA SHEET

17050GNSBLUEGRAY3

Version Number 1.0

Page 5 of 7

Revision Date 06/10/2002

Print Date 11/24/2003

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330mg/kg >10gm/kg	rat rabbit
1333-86-4	Carbonblack	Oral LD50 Dermal LD50	>15,400mg/kg >3gm/kg	rat rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbonblack	no	2B	no

IARC Carcinogen Classifications:

- 1-The component is carcinogenic to humans.
- 2A-The component is probably carcinogenic to humans.
- 2B-The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1-The component is known to be a human carcinogen.
- 2-The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbonblack 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbonblack". Based on this evaluation, along with the reevaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbonblack recommends that only carbonblack with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.

13. DISPOSAL CONSIDERATIONS

Product	:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper
---------	---	---

MATERIAL SAFETY DATA SHEET

17050GNSBLUEGRAY3

Version Number 1.0
 RevisionDate 06/10/2002

Page 6 of 7
 PrintDate 11/24/2003

Contaminated packaging : waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S.D.O.T./CAT.D.G. Classification (Non-bulk ground) : Not regulated for transportation.
 ICAO/IATA : Not regulated for transportation.
 IMO/IMDG : Not regulated for transportation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.
 TSCA Status : All components of this product are listed on the TSCA inventory or are exempt.

US EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
1,2-Benzenedicarboxylic acid, butyl phenylmethyl ester	85-68-7	2.69	100 lbs	3,714 LB

California Proposition 65 : WARNING! This product contains a chemical known in the State of California to cause cancer., WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Canadian Regulations:

WHMIS Classification : D2A
 WHMIS Ingredient Disclosure List

17050GNSBLUEGRAY3

Version Number 1.0

RevisionDate 06/10/2002

Page 7 of 7

PrintDate 11/24/2003

CAS-No.
7440-38-2
1333-86-4
7439-92-1
7631-86-9
85-68-7
75-01-4

DSL : Listed.

National Inventories:

Australia AICS : Listed.

China IECS : Not determined.

Europe EINECS : Not determined.

Japan ENCS : Not determined.

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.