

MATERIALSAFETYDATASHEET

26140GNSBEIGE8Version Number 1.0
RevisionDate 01/21/2003Page 1 of 7
PrintDate 12/15/2003**1.PRODUCTANDCOMPANYIDENTIFICATION****POLYONECORPORATION**
2700PapinStreet,St.Louis,MO63103

NON-EMERGENCY TELEPHONE : ProductStewardship,(314)771-1800

Emergencytelephone number : **CHEMTREC1-800-424-9300(24hrsforspill,leak,fire,exposure oraccident).**

Productname : 26140GNSBEIGE8

Productcode : FO20003615

ChemicalName : Mixture

CAS-No. : Mixture

ProductUse : IndustrialApplications

2.COMPOSITION/INFORMATIONONHAZARDOUSINGREDIENTS

Components	CAS-No.	Weight%
1,2-Benzenedicarboxylicacid,butyl phenylmethylester	85-68-7	1- 5
Carbonblack	1333-86-4	0.1- 1
Calciumcarbonate	1317-65-3	10- 30
Titaniumdioxide	13463-67-7	10- 30

3.HAZARDSIDENTIFICATION**EMERGENCYOVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIALHEALTHEFFECTS**Routes of Exposure:** : Inhalation, Skin contact, Ingestion**Acute exposure**

Inhalation : Inhalation of airborne droplets may cause irritation of the respiratory tract.

Ingestion : May be harmful if swallowed.

Eyes : May cause eye/skin irritation.

Skin : Experience shows no unusual dermatitis hazard from routine handling.

MATERIAL SAFETY DATA SHEET

26140GNSBEIGE8

Version Number 1.0
 RevisionDate 01/21/2003

Page 2 of 7
 PrintDate 12/15/2003

Chronic exposure : RefertoSection11forToxicologicalInformation.

Medical Conditions Aggravated by Exposure: : Noneknown.

4. FIRST AID MEASURES

Inhalation : Movetofreshairincaseofaccidentalinhilationoffumesfrom overheatingorcombustion. Whensymptomspersistorinallcasesof doubtseekmedicaladvice.

Ingestion : Donotinducevomitingwithoutmedicaladvice. Whensymptoms persistorinallcasesofdoubtseekmedicaladvice.

Eyes : Rinseimmediatelywithplentyofwaterforatleast15minutes. Ifeye irritationpersists,seekmedicalattention.

Skin : Washoffwithsoapandplentyofwater. Ifskinirritationpersists seekmedicalattention.

5. FIRE-FIGHTING MEASURES

Flashpoint : Nodataavailable.

Flammable Limits

Upperexplosionlimit : Nodataavailable.

Lowerexplosionlimit : Nodataavailable.

Autoignition temperature : Notapplicable.

Suitable extinguishing media : Carbondioxideblanket,drypowder,foam,Waterspray .

Special Fire Fighting Procedures : Fullfaceself-containedbreathingapparatus(SCBA)usedinpositive pressuremodeshouldbeworntopreventinhalationofairborne contaminants.

Unusual Fire/Explosion Hazards : MayemitHydrogenChloride(HCl)orCarbonMonoxide(CO)under fireconditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wearappropriatepersonalprotectionduringcleanup,suchas imperviousgloves,bootsandcoveralls.

Environmental precautions : Shouldnotbereleasedintotheenvironment. Theproductshouldnot beallowedtoenterdrains,watrecoursesorthesoil.

Methods for cleaning up : Soakupwithinertabsorbentmaterial(e.g.sand,silicagel,acid binder,universalbinder,sawdust). Packageallmaterialin appropriatecontainerfordisposal. RefertoSection13ofthisMSDS forproperdisposalmethods.

7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET

26140GNSBEIGE8

Version Number 1.0

Page 4 of 7

RevisionDate 01/21/2003

PrintDate 12/15/2003

Meltingpoint/range	: Notapplicable	Vapordensity	: Notdetermined
BoilingPoint:	: Notapplicable	pH	: Notapplicable.
Watersolubility	: Immiscible		

10. STABILITY AND REACTIVITY

Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO ₂), carbon monoxide (CO), oxides of nitrogen (NO _x), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177°C (350°F), after 10 minutes at 204°C (400°F), and within 5 minutes at 232°C (450°F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethyl ester	Irritant	Eyes, Skin .
		Systemic effects	Liver, reproductive system .
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system .
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin .
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system .

LC50/LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethyl ester	Oral LD50 Dermal LD50	2,330mg/kg >10gm/kg	rat rabbit

MATERIAL SAFETY DATA SHEET

26140GNSBEIGE8

Version Number 1.0

Page 5 of 7

Revision Date 01/21/2003

Print Date 12/15/2003

1333-86-4	Carbonblack	Oral LD50 Dermal LD50	>15,400mg/kg >3gm/kg	rat rabbit
-----------	-------------	--------------------------	-------------------------	---------------

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbonblack	no	2B	no

IARC Carcinogen Classifications:

- 1-The component is carcinogenic to humans.
- 2A-The component is probably carcinogenic to humans.
- 2B-The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1-The component is known to be a human carcinogen.
- 2-The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbonblack 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbonblack". Based on this evaluation, along with their reevaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbonblack recommends that only carbonblack with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.

13. DISPOSAL CONSIDERATIONS

Product	:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,

MATERIAL SAFETY DATA SHEET

26140GNSBEIGE8

Version Number 1.0
 RevisionDate 01/21/2003

Page 6 of 7
 PrintDate 12/15/2003

transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification : Refertospecificregulation.

ICAO/IATA : Refertospecificregulation.

IMO/IMDG : Refertospecificregulation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classifiedashazardousbasedoncomponents.

TSCA Status : Allcomponentsofthisproductarelistedonorexemptfromthe TSCAInventory.

US EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
1,2-Benzenedicarboxylic acid, butyl phenylmethylester	85-68-7	2.7296	100 lbs	3,664 LB

California Proposition 65 : WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
85-68-7

26140GNSBEIGE8

Version Number 1.0

Page 7 of 7

RevisionDate 01/21/2003

PrintDate 12/15/2003

DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS : Listed.

China IECS : Not determined.

Europe EINECS : Not determined.

Japan ENCS : Not determined.

Korea KECI : Not determined.

Philippines PICCS : Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.