

Wilflex Oasis™ Burnout Base



Developed and marketed by the makers of Wilflex brand inks in cooperation with Magna Colours, LTD.

MATERIAL SAFETY DATA SHEET

PAGE 1/3

DATE: 06.15.06 REVISION: 2

1 IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

- 1.1 Identification of the Product WILFLEX OASIS™ BURNOUT BASE
1.2 Company undertaking identification MAGNA COLOURS LIMITED
Dodworth Business Park
Upper Cliffe Road
Dodworth
BARNLEY S75 3SP
England



- 1.3 Marketed by PolyOne Corporation, 8155 Cobb Center Drive, Kennesaw, GA 30152 U.S.A.
Emergency telephone no(s): U.K.: +44 (01226) 731751 or +44 (07808) 917935
CHEMTREC: 1-800-424-9300
24 hours for spill, leak, fire, exposure, or accident

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ready to use print paste to produce burn out/devoré effect.

<u>Substance</u>	<u>% Present</u>	<u>EEC Classification</u>	<u>R-phrases</u>
------------------	------------------	---------------------------	------------------

3 HAZARDS IDENTIFICATION

- 3.1 Most Important Hazards: -
3.2 Specific Hazards: N/K

4 FIRST AID MEASURES

- General - Take off immediately all contaminated clothing. Show this safety data sheet to the Doctor in attendance.
- 4.1 Inhalation - If symptoms due to inhalation are observed, remove person to fresh air.
4.2 Skin Contact - Wash with plenty of water. Consult a Doctor if necessary.
4.3 Eye Contact - Rinse with plenty of water for at least 15 minutes. Keep eye wide open when rinsing. Obtain medical attention.
4.4 Ingestion - Rinse mouth (never give anything by mouth to an unconscious person). Do not induce vomiting. Obtain medical attention immediately. Keep warm and in a quiet place.

5 FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media: Suitable - Water spray, Carbon Dioxide, dry powder, foam.
Unsuitable - None.
5.2 If involved in a fire: - In case of a fire, wear a self contained breathing apparatus. Use standard procedures for a chemical fire.

6 ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions: Wear impervious gloves and safety glasses or goggles.
6.2 Environmental Precautions: Avoid subsoil penetration. Absorb material with sand or inert material. Avoid sources of ignition.
6.3 Cleaning Measures: Treat contaminated waters before disposal. Shovel into suitable containers for authorised disposal.

7 HANDLING AND STORAGE

- 7.1 Handling: Use only in area provided with appropriate exhaust ventilation. Avoid eye and skin contact. It is advisable to wear hand and personal protection when handling chemicals.
7.2 Storage: Keep temperature between 5° - 40°C (23° - 104°F). Keep packages closed and far from fire and sparks.

Wilflex Oasis™ Burnout Base



Developed and marketed by the makers of Wilflex brand inks in cooperation with Magna Colours, LTD.

MATERIAL SAFETY DATA SHEET

PAGE 2/3

DATE: 06.15.06 REVISION: 2

1.1 Identification of the Product WILFLEX OASIS™ BURNOUT BASE

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 General: Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke with handling this product.
- 8.2 Respiratory: Work in well aired rooms
- 8.3 Hand: Oil/Chemical resistant gloves
- 8.4 Eye: Safety glasses or chemical grade
- 8.5 Skin: Protective suit, safety goggles shoes/boots.

9 PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Appearance: White paste
- 9.2 Odour: Slight characteristic
- 9.3 pH: 6-7
- 9.4 Boiling point/range: N/K
- 9.5 Melting point/range: N/A
- 9.6 Flash point: N/D
- 9.7 Flammability: N/A
- 9.8 Autoflammability: N/A
- 9.9 Explosive Properties: N/A
- 9.10 Oxidising Properties: N/A
- 9.11 Vapour Pressure: N/A
- 9.12 Relative density: N/A
- 9.13 Bulk density: N/A
- 9.14 Solubility: Water - Miscible
Fat - N/A
Other solvents - N/A
- 9.15 Partition coefficient: N/A
- 9.16 Other data: -

10 STABILITY AND REACTIVITY

- 10.1 Conditions to avoid: Avoid extremes of temperature.
- 10.2 Materials to avoid: Strong Alkalies.
- 10.3 Hazardous decomposition products: Under proper storage conditions the product is stable. In common with most inorganic substances it will burn if involved in a fire and may give off noxious fumes. When heated Sulphuric Acid is formed.

11 TOXICOLOGICAL INFORMATION

No information available.

12 ECOLOGICAL INFORMATION

This product must be used according to proper working procedures avoiding to waste it in the Environment. Do not allow large quantities to enter drains or surface waters. This product is highly acidic. Therefore any spillages must be treated and diluted with copious amounts of water.

13 DISPOSAL CONSIDERATIONS

- 13.1 Waste from residues/unused products: Dispose into authorised dump or incinerator in accordance with local and national regulations.
- 13.2 Contaminated packaging: Empty containers should be disposed of at an authorised site in accordance with local regulations.

Wilflex Oasis™ Burnout Base



Developed and marketed by the makers of Wilflex brand inks in cooperation with Magna Colours, LTD.

MATERIAL SAFETY DATA SHEET

PAGE 3/3

DATE: 06.15.06 REVISION: 2

1.1 Identification of the Product WILFLEX OASIS™ BURNOUT BASE

14 TRANSPORT INFORMATION

Proper Shipping Name: Not regulated for transport
UN Number: - Symbol: -
Hazard Class: - Packing Group: -
ADR/RID: - IATA/DGR limits: -

15 REGULATORY INFORMATION

References in Annex 1 to 67/548/EEC:

Components which lead to danger classification:

EINECS Nos:

Classified according to Directives 67/548/EEC and 88/379/EEC and their various amendments:

Warning symbols: -
Warning words: -
Risk phrases: -
Safety phrases: -

16 OTHER INFORMATION

Intended uses: Textile Printing Composition for devoré effects
Abbreviations: N/A = Not applicable N/D = Not determined N/K = Not known

The information contained in this leaflet is given in good faith. This information is accurate to the best of our knowledge and represents the most up to date information available to us. Products should be handled and used in accordance with the advice given.