

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTIFICATION

Manufacturer: R Tape Corporation
6 Ingersoll Road
South Plainfield, NJ 07080

Emergency Telephone Number: (908) 753-5570
Telephone Number for Information: (908) 753-5570
Issue #/Date/Prepared By: Issue #0#02/09-02-03 SPD
Supercedes Issue #/Date: Issue #01/02-26-97/J.A. Rubin

PRODUCT NUMBER/DESCRIPTION	FILM TYPE	THICKNESS
AT-40 TRANSPARENT MATTE APPLICATION TAPE	MATTE POLYOLEFIN FILM	3.75 MILS
AT-42RLA CLEAR EZ TEAR TAPE	CLEAR POLYOLEFIN FILM	6.00 MILS
AT-42 CLEAR EZ TEAR APPLICATION TAPE	CLEAR POLYOLEFIN FILM	6.00 MILS
AT-43 CLEAR EZ TEAR APPLICATION TAPE	CLEAR POLYOLEFIN FILM	6.00 MILS
PM-40 TRANSPARENT MATTE PROTECTIVE MASKING	MATTE POLYOLEFIN FILM	3.50 MILS
PM-42 CLEAR EZ TEAR PROTECTIVE MASKING	CLEAR POLYOLEFIN FILM	6.00 MILS
PM-43 CLEAR EZ TEAR PROTECTIVE MASKING	CLEAR POLYOLEFIN FILM	6.0 MILS
2540 TRANSPARENT MATTE PROTECTIVE MASKING	MATTE POLYOLEFIN FILM	3.50 MILS
2575 TRANSPARENT MATTE APPLICATION TAPE	MATTE POLYOLEFIN FILM	3.75 MILS
2000 BLUE SCREEN BLOCK OUT TAPE	COLORED POLYOLEFIN	3.75 MILS

SECTION II: HAZARDOUS INGREDIENTS INFORMATION

HAZARDOUS INGREDIENTS	OSHA PEL	ACGIH TLV	% (OPTIONAL)
-----------------------	----------	-----------	--------------

NO HAZARDOUS INGREDIENTS CONTAINED/KNOWN

SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: N/A (NOT APPLICABLE)
VAPOR PRESSURE (mmHg): N/A
VAPOR DENSITY (AIR = 1): N/A
SOLUBILITY IN WATER: N/A
SPECIFIC GRAVITY: N/A
MELTING POINT: N/A
EVAPORATION RATE (BUTYL ACETATE = 1): N/A

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT (METHOD USED): N/A
FLAMMABLE LIMITS: N/A
EXTINGUISHING MEDIA: WATER, FOAM
SPECIAL FIRE FIGHTING PROCEDURES: NONE KNOWN
UNUSUAL FIRE AND EXPLOSION HAZARDS: HAZARDOUS DECOMPOSITION PRODUCTS INCLUDE CARBON MONOXIDE, CARBON DIOXIDE, AND OXIDES OF NITROGEN

MSDS (AT-40/AT-42/PM-40/PM-42/PM-43/2540/2575) Issue #02/03-23-00 Page 1 of 2

MATERIAL SAFETY DATA SHEET

SECTION V: REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NONE KNOWN
INCOMPATIBILITIES (MATERIALS TO AVOID): NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS INCLUDE
CARBON MONOXIDE, CARBON DIOXIDE, AND OXIDES OF NITROGEN
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI: HEALTH HAZARD DATA

ROUTES OF ENTRY: DERMAL
HEALTH HAZARDS (ACUTE): NONE KNOWN
HEALTH HAZARDS (CHRONIC): NONE KNOWN
CARCINOGENICITY: NONE KNOWN
SIGNS AND SYMPTOMS OF EXPOSURE: NONE KNOWN
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN
EMERGENCY AND FIRST AID PROCEDURES: NONE KNOWN

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: NONE KNOWN
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE
AND LOCAL ENVIRONMENTAL REGULATIONS
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NONE KNOWN
OTHER PRECAUTIONS: NONE KNOWN

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): NONE KNOWN
VENTILATION: N/A
PROTECTIVE GLOVES: NONE KNOWN
EYE PROTECTION: NONE KNOWN
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE KNOWN
WORK/HYGIENE PRACTICES: PRACTICE SAFE HYGIENE AND WORK PRACTICES

SECTION IX: DISCLAIMER

The information provided in this MSDS has been obtained from sources thought to be reliable. However, we provide no warranties, wither expressed or implied, and we assume no responsibility for the accuracy or completeness of the data contained herein. It is the user's responsibility to see that the data is complete for his/her particular use.



1ST Choice for Quality and Value

SPECIFICATIONS
2000 BLUE
SCREEN BLOCK OUT TAPE

BACKING	Co-Polymeric Film Medium Density
PHYSICAL SPECIFICATIONS:	
Adhesive	Acrylic
Color	Blue
Film Thickness (mils)	4.0
Tape Thickness (mils)	5.0 mil
Adhesion to Steel	24 – 26 oz./inch width
Elongation %	150 %
Tensile lb./inch width	10

- Solvent & Moisture Resistant
- Remains intact during cleaning cycle
- Conformable in frame corners
- Removes cleanly in one piece without residue
- Aggressive adhesive will not damage screen
- Use on both sides for life of the screen protection
- Nationally known for Block Out economy!

A consistent Screen Printer's product delivering
Performance
Economy
Productivity!

2000 Blue Spec Sheet/Issue #01/03-27-98



R Tape Corporation

6 Ingersoll Road • CN 2002 • South Plainfield, NJ 07080
 908-753-5570 • Fax 908-753-5014 • 800-440-1250

