

T.J. RONAN PAINT CORP.
MATERIAL SAFETY DATA SHEET
FOR PROFESSIONAL GRAPHIC ARTS COATINGS

SECTION I - PRODUCT IDENTIFICATION

MANUFACTURER'S NAME: T.J. RONAN PAINT CORP.
749 EAST 135TH STREET
BRONX, NEW YORK 10454

INFORMATION PHONE: (718) 292-1100

DATE: 04/15/2010

EMERGENCY PHONE: (800) 424-9300 CHEMTREC

PRODUCT CLASS: GRAPHIC ARTS

HMIS RATINGS: HEALTH 2 FIRE 2 REACTIVITY 0 PERSONAL PROTECTION J

PRODUCT CODE: BF21 FLAT BLACK
BF101 FLAT WHITE
BFDBO FAST DRY BLOCKOUT WHITE
BMP MASONITE PRIMER
BSTWP STICK-TITE WHITE PRIMER
BO602 SPEEDY BLOCKOUT WHITE
BRRP RUSTITE RED PRIMER

SECTION II-A - HAZARDOUS INGREDIENTS

ALL THE ABOVE PRODUCTS CONTAIN ALIPHATIC DISTILLATE (CAS# 8052-41-3)

CHEMICAL NAME	CAS #	WEIGHT %	EXPOSURE LIMITS				
			(TLV-TWA)	TLV-STEL	PEL-TWA	PEL-CEILING SKIN	
ALIPHATIC DISTILLATE	8052-41-3	23 - 32	100 PPM	NO INFO	500 PPM	NO INFO	NO

(SEE SECTION X FOR ABBREVIATION LEGEND)

THIS PRODUCT MAY CONTAIN PIGMENTS THAT MAY BECOME A DUST NUISANCE WHEN REMOVED BY ABRASIVE BLASTING, SANDING OR GRINDING.

SECTION II-B HAZARDOUS INGREDIENTS

THE FOLLOWING PRODUCTS CONTAIN TITANIUM DIOXIDE (CAS #13463-67-7)

BF101 FLAT WHITE - BFDBO FAST DRY BLOCKOUT WHITE - BMP MASONITE PRIMER BSTWP
STICK-TITE WHITE PRIMER - BO602 SPEEDY BLOCKOUT WHITE

CHEMICAL NAME	CAS #	WEIGHT %	EXPOSURE LIMITS				SKIN
			(TLV-TWA)	TLV-STEL	PEL-TWA	PEL -CEILING	
TITANIUM DIOXIDE	13463-67-7	10 - 30	10 mg/M3	NO INFO	15 mg/M3	15 mg/M3	NO

(SEE SECTION X FOR ABBREVIATION LEGEND)

SECTION II-C HAZARDOUS INGREDIENTS

THE FOLLOWING PRODUCTS CONTAIN IRON (III) OXIDE (CAS# 1309-37-1)

BRRP - RUSTITE RED PRIMER

CHEMICAL NAME	CAS #	WEIGHT %	EXPOSURE LIMITS				SKIN
			(TLV-TWA)	TLV-STEL	PEL-TWA	PEL -CEILING	
IRON (III) OXIDE	1309-37-1	12 - 16	5 mg/M3	NO INFO	5 mg/M3	15 mg/M3	NO

(SEE SECTION X FOR ABBREVIATION LEGEND)

SECTION II-D HAZARDOUS INGREDIENTS

THE FOLLOWING PRODUCTS CONTAIN CARBON BLACK (CAS# 1333-86-4)

BF21 BLACK

CHEMICAL NAME	CAS #	WEIGHT %	EXPOSURE LIMITS				SKIN
			(TLV-TWA)	TLV-STEL	PEL-TWA	PEL -CEILING	
CARBON BLACK	1333-86-4	1 - 5	3.5 mg/M3	N. E.	3.5 mg/M3	N. E.	NO

(SEE SECTION X FOR ABBREVIATION LEGEND)

SECTION II-E HAZARDOUS INGREDIENTS

THE FOLLOWING PRODUCTS CONTAIN ZINC COMPOUND (CAS# 1314-13-2)

BSTWP STICKTITE WHITE PRIMER

CHEMICAL NAME	CAS #	WEIGHT %	EXPOSURE LIMITS				
			(TLV-TWA)	TLV-STEL	PEL-TWA	PEL-CEILING	SKIN
ZINC COMPOUND	1314-13-2	5 - 10	5 mg/M3	15 mg/M3	15 mg/M3	N.E.	NO

(SEE SECTION X FOR ABBREVIATION LEGEND)

SECTION III - PHYSICAL DATA

BOILING RANGE: 310-395 DEG.F
SOLUBILITY: NEGLIGIBLE
DENSITY: 10.30 - 12.70 LB/GAL.

MAXIMUM VOCS: 3.76 LB/GAL - 450 GRAMS/LITER

VAPOR DENSITY: HEAVIER THAN AIR
EVAPORATION RATE: SLOWER THAN PRODUCT
BUTYL ACETATE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION:
OSHA - COMBUSTIBLE LIQUID - CLASS II
DOT - COMBUSTIBLE LIQUID

FLASH POINT: 107 DEG F (TCC)
LEL: 0.9% UEL: 6.0%

EXTINGUISHING MEDIA: DRY CHEMICAL, CARBON DIOXIDE, FOAM.
UNUSUAL FIRE AND EXPLOSION HAZARDS: KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, SPARKS AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF CONTAINED BREATHING APPARATUS. WATER MAY SPREAD FIRE. WATER SPRAY MAY BE USED TO COOL CONTAINERS EXPOSED TO FIRE.

SECTION X - REGULATORY INFORMATION

SARA NOTIFICATION

TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) HAS CREATED NEW REPORTING REQUIREMENTS FOR COMPANIES THAT HANDLE CERTAIN CHEMICALS AND CHEMICAL CATEGORIES. THE FOLLOWING IS A LIST OF CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA (40 CFR PART 372) AND THE PRODUCTS THAT CONTAIN THOSE CHEMICALS.

NO SARA SECTION 313 COMPONENTS EXIST IN THIS PRODUCT.

CALIFORNIA PROPOSITION 65

WARNING: THESE PRODUCTS AND THE CONTAINERS THEY ARE IN MAY CONTAIN DETECTABLE AMOUNTS OF ONE OR MORE CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. FOR MORE SPECIFIC INFORMATION REQUEST THE CALIFORNIA VERSION MATERIAL SAFETY DATA SHEET ON INDIVIDUAL PRODUCTS.

LEGEND: N. A. - NOT APPLICABLE N. E. - NOT ESTABLISHED
 N. D. - NOT DETERMINED

THE INFORMATION CONTAINED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF ACCURATE. HOWEVER SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.