

MATERIAL SAFETY DATA SHEET

acc. to USA OSHA 29CFR1910.1200

SENSIENT™

Sensient Imaging Technologies S.A.
ECS Division
Z.I. Riord-Bosson 8
CH-1110 Morges 2, Switzerland
Tel: +41 (0)21 811 2300 Fax +41 (0)21 811 2311

Page 1/5

Printing date 09/18/2003

Reviewed on 07/11/2003

1 Identification of substance

• Product details

- **Trade name:** OFFSET DESENSITIZING INK 137E
- **Article number:** 809137E
- **Intended use :** Desensitizing ink for offset printing

199500A

• Manufacturer/Supplier:

Sensient Imaging Technologies S.A.
ECS Division
Z.I. Riord-Bosson 8
1110 MORGES 2
SWITZERLAND

Tel: +41 21 811 23 00
Fax: +41 21 811 23 11

e-mail : sit-ch-info@eu.sensient-tech.com

- **Information department:** Nathalie Porchet / Section Safety & Environment

2 Composition/Data on components

- **Hazardous components per USA OSHA 29CFR1910.1200:** None

3 Hazards identification

- **Hazard description:** Not applicable.
- **Information pertaining to particular dangers for man and environment:**
No hazards to be particularly mentioned.
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0
Personal Protective Equipment = C

USA

(Contd. on page 2)

Trade name: OFFSET DESENSITIZING INK 137E

4 First aid measures

• **General information:**

No special measures required.

In all cases of doubt, when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

• **After inhalation:**

No adverse effect anticipated by this route of exposure. If symptoms show up, remove to fresh air.

• **After skin contact:**

Do not use solvents or thinners.

Remove contaminated clothing.

Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:**

Flush eyes thoroughly with water for 15 minutes. Seek medical attention if irritation persists.

• **After swallowing:**

Keep at rest.

Do not induce vomiting; immediately call for medical help.

5 Fire fighting measures

• **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **Unsuitable extinguishing agents:** *Water with full jet*

• **Special hazards caused by the material, its products of combustion or resulting gases:**

Formation of toxic gases is possible during heating or in case of fire.

• **Protective equipment:** *Mount respiratory protective device.*

• **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Cool endangered containers with water spray.

6 Accidental release measures

• **Person-related safety precautions:** *Ensure adequate ventilation*

• **Measures for environmental protection:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• **Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, sawdust).

Send for recovery or disposal in suitable containers.

Dispose contaminated material as waste according to item 13.

Avoid use of solvents.

7 Handling and storage

• **Handling:**

• **Information for safe handling:** *No special measures required.*

• **Information about protection against explosions and fires:** *No special measures required.*

• **Storage:**

• **Requirements to be met by storerooms and containers:**

Ideal storage temperature: 50 - 90°F.

Store in a cool location.

Use only containers specifically designed for this product.

• **Further information about storage conditions:**

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

USA

(Contd. on page 3)

Trade name: **OFFSET DESENSITIZING INK 137E**

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Personal protective equipment:**
 - **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
Do not eat or drink while working.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**



Protective gloves

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

9 Physical and chemical properties

• General Information

- **Physical form:** Liquid
- **Color:** White
- **Odor:** Weak

• Change in condition

- **Melting point/Melting range:** Not applicable
- **Boiling point/Boiling range:** Undetermined.

- **Flash point:** > 100°C (> 212°F)

- **Danger of explosion:** Product does not present an explosion hazard.

• Explosion limits:

- **Lower:** Not applicable
- **Upper:** Not applicable

- **Density at 20°C (68°F):** 1.000 g/cm³

• Solubility in / Miscibility with

- **Water:** not miscible

• Viscosity:

- **Viscosity at 20°C (68°F):** 17000 mPas

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
Stable under recommended storage and handling conditions.
- **Materials to be avoided:** Strong oxidizers.
- **Dangerous reactions** No dangerous reactions known if used according to specifications.

(Contd. on page 4)

USA

Trade name: **OFFSET DESENSITIZING INK 137E**

- **Dangerous products of decomposition:**
In case of fire, carbon and nitrogen oxides are the main combustion gases.

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Oral	LD50	> 2000 mg/kg (rats)
------	------	---------------------

- **Primary irritant effect:** negative (dermal, rabbits)
- **Sensitization:** negative (Magnusson-Kligman test; Guinea pigs)
- **General notes:**

There is no experimentally determined data available on the preparation itself.

When used and handled according to recommended storage and handling conditions, the product does not have any harmful effects according to our experience and the information provided to us.

Splashes in the eyes may cause irritation but no permanent harm.

The product is not classified as hazardous through scientific evaluation of information in the literature for ingredients.

12 Ecological information

- **General notes:**

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**

- **Recommendation:** Waste material must be disposed of in accordance with local regulations.

- **Uncleaned packagings:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

- **DOT regulations:**

- **Hazard class:** -

- **Land transport ADR/RID (cross-border):**

- **ADR/RID class:** -

- **Maritime transport IMDG:**

- **IMDG Class:** -

- **Marine pollutant:** No

- **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** -

15 Regulations

- **SARA**

- **Section 355 (Extremely hazardous substances):**

None of the ingredients are listed.

(Contd. on page 5)

USA

Trade name: OFFSET DESENSITIZING INK 137E

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All components are included in the TSCA inventory and/or comply with TSCA regulations.

• California Proposition 65

• Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity:

None of the ingredients are listed.

• Carcinogenicity categories

• IARC (International Agency for Research on Cancer)

13463-67-7	titanium dioxide	3
------------	------------------	---

	talc (Mg ₃ H ₂ (SiO ₃) ₄)	3
--	---	---

• NTP (National Toxicology Program)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

13463-67-7	titanium dioxide	A4
------------	------------------	----

	talc (Mg ₃ H ₂ (SiO ₃) ₄)	A4
--	---	----

• MAK (German Maximum Workplace Concentration)

None of the ingredients are listed.

• NIOSH (National Institute for Occupational Safety and Health)

13463-67-7	titanium dioxide
------------	------------------

• OSHA (Occupational Safety & Health Administration)

The product do not contain any carcinogenic substances according to OSHA criterias.

• Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product has not been classified and marked in accordance with respective national laws.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.