

ITEM NUMBER: 084 - # 84 SUPER FLASH ADH 14 OZ.
VERSION 3 EFFECTIVE DATE: 10/17/05 SUPERCEDES: 01/05/04 PREPARED BY: Regulatory Compliance
Section(s) Revised: II, IV, V, VI, VII, VIII
IL (As Used On Label and List): # 84 SUPER FLASH ADH 14 OZ.

EMERGENCY MEDICAL Telephone# 1-866-836-8855 (24 Hrs) Outside of the U.S.A. Call 952-852-4646

PRODUCT HAZARD RATINGS (HMIS): Health = 2, Fire = 4, Reactivity = 0 Protective Equipment = B
(Rating Legend: - 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal, * = Chronic Hazard)

SECTION I
SPRAYWAY, INC. TELEPHONE NUMBER FOR INFORMATION: 630-628-3000
484 VISTA
ADDISON DATE PRINTED: 12/07/05 NAME OF PREPARER: REGULATORY COMPLIANCE

IL 60101
SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Table with 5 columns: Chemical Names (CAS #), SARA SEC 313, ACGIH TLV-TWA/STEL, OSHA PEL-TWA/STEL, % By Wt.
Rows include Acetone, n-Pentane, n-Heptane, Liquefied Petroleum Gas Mixture, Propane, Butane, and Propylene.

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: NA Vapor Pressure (psig)(5): 96 @ 130 F / 41 @ 70 F
Specific Gravity - calculated (H2O=1): 0.7041 ± 0.005 pH: NA Solubility/Water: Insoluble
Vapor Density (AIR=1): ND Evaporation Rate (Ether=1): ND
Appearance and Odor: Thick tan aerosol spray with solvent odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Product is to be labeled as extremely flammable as described in 16 CFR 1500.3 and 1500.45.
Flashpoint: <0 F (Propellant); >-40 F (Concentrate)
Flammable Limits - % Volume In Air (Propellant): LEL: 1.05% (n-Heptane) UEL: 12.5%
Extinguishing Media: Carbon dioxide, foam, or dry chemical.
Special Fire Fighting Procedures: Wear approved, positive pressure, self contained breathing apparatus and full protective clothing. Cool fire exposed containers with water. Protect against bursting cans
Unusual Fire and Explosion Hazards: Contents under pressure. Keep away from heat and open flames. Container may rupture or explode in the heat of a fire. Prolonged exposure to temperatures above 120°F(48.9°C) may cause cans to burst.

SECTION V - REACTIVITY DATA

Stability: Stable Hazardous Polymerization: NA

flammable aerosol.

Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 120 F (48.9 C). Store as Level 3 Aerosol (NFPA 30B).

Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

SECTION VIII - EMPLOYEE PROTECTION

Respiratory Protection (Type): None needed under normal use conditions. For operations where the occupational exposure limit may be exceeded, a NIOSH approved organic vapor respirator or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration, select in accordance with OSHA 1910.134, ANSI Z88.2 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Ventilation: General ventilation should be adequate for normal use. For operations where the occupational exposure limit may be exceeded, mechanical ventilation such as local exhaust may be needed to maintain exposure levels below applicable limits.

Protective Gloves: Impervious gloves are recommended for operations which may result in prolonged / repeated skin contact. Consult glove manufacturer to determine the proper type for a specific operation.

Eye Protection: Safety glasses or goggles are recommended.

Other Protective Clothing or Equipment: Protective clothing if needed to avoid prolonged / repeated skin contact. Suitable washing and eye flushing facilities should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals.

Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

Section IX-Other Regulatory Controls

FL RAL: Toxic Substance Control Act (TSCA): Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

STATE RIGHT-TO-KNOW:

Pennsylvania/New Jersey Right-To-Know (Chemical and CAS No.):

Chemical	CAS Number
Acetone	67-64-1
n-Heptane	142-82-5
Pentane	109-66-0
Liquefied Petroleum Gas	68476-86-8
Propane	94-98-6

Section X-Transportation (D.O.T. Classification)

Proper Shipping Name: Consumer Commodity Hazard Class: ORM-D

NG - Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

