

ITEM NUMBER: 933 - GLASS CLEANER WIPE

CHEMICAL FORMULATION: Premoistened cleaning towel.

GENERAL INFORMATION NUMBER: (800) 252-4731 REVISION DATE: August 31, 2001

Prepared by: Patrick Rego

CHEMTREC: (800) 424-9300 DATE OF ISSUE: September 17, 2001

IDENTITY (As Used On Label and List): GLASS CLEANER WIPE

EMERGENCY MEDICAL Telephone# 1-800-228-5635 X 009 (24 Hrs) Outside of the U.S.A. Call 651-632-9275

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0

HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

SECTION I

SPRAYWAY, INC.

TELEPHONE NUMBER FOR INFORMATION : 630-628-3000

484 VISTA

ADDISON

DATE PRINTED : 1/17/03 NAME OF PREPARER : Ron Cepa

IL 60101

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Values reported as TWA unless noted.

SUBSTANCE	APPROX %	OSHA PEL	ACGIH TLV	EPA 40 CFR: 302	355	372	CAS #
Ethyl alcohol	1.00-5.00	1000 ppm	1000 ppm	N	N	N	64-17-5
2-butoxyethanol	1.00-5.00	25 ppm (skin)	20 ppm (skin)	Y	N	Y	111-76-2

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling level STEL: Short Term Exposure Limit

N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

SECTION III - PHYSICAL CHARACTERISTICS

BOILING POINT (?F): N/D

SPECIFIC GRAVITY (WATER = 1): 0.9859 (concentrate)

VAPOR PRESSURE (mm Hg): N/D

VOC CONTENT (% by weight): N/D

VAPOR DENSITY (AIR = 1): N/D

EVAPORATION RATE (WATER = 1): N/D

SOLUBILITY IN WATER: Soluble (concentrate) pH: 10.0 (concentrate)

APPEARANCE AND ODOR: White towel impregnated with a clear, pale yellow liquid; fragrant odor..

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (?F): > 200 (concentrate) (TEST METHOD): Open cup

FLAMMABLE LIMITS IN AIR (VOLUME %) UPPER: 19.0 LOWER: 1.1

EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water fog. Firefighters should be equipped with full protective gear including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARD: None

SECTION V - REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY: Oxidizing agents, reducing agents, acids, bases.

CONDITIONS TO AVOID: Keep away from heat, sparks, and open flames.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None

--*-*-* SECTION VI - HEALTH HAZARD DATA

-----*-*-*-*-*

ROUTES OF ENTRY INHALATION: X EYE CONTACT: X SKIN CONTACT: X INGESTION:

INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS: None

EFFECTS OF OVEREXPOSURE

IF IN EYES: May cause mild irritation.

IF ON SKIN: Prolonged or repeated exposure may cause irritation. 2-butoxyethanol may affect the liver and kidneys and may increase red blood cell hemolysis.

IF SWALLOWED: Not expected to be a route of exposure.

IF INHALED: None under normal use. Prolonged exposure can be irritating to eyes, nose and respiratory tract.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical attention.

IF ON SKIN: Flush affected area with water for at least 15 minutes. If irritation persists, obtain medical attention.

IF SWALLOWED: Contact physician or poison control center immediately. Do not induce vomiting, unless told to do so by a physician or poison control center.

IF INHALED: Remove person to fresh air. If symptoms develop, seek medical attention. Give artificial respiration, if breathing has stopped.

--*-*-* SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

-----*-*-*-*-*

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Ventilate area. Remove all sources and contain spill. Soak up spilled material with inert absorbent material and place in a closed labeled container.

WASTE DISPOSAL METHOD: Consult local environmental authorities.

--*-*-* SECTION VIII - EMPLOYEE PROTECTION

-----*-*-*-*-*

RESPIRATORY PROTECTION: Use with adequate ventilation. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.

VENTILATION LOCAL: Recommended MECHANICAL: Not required

PROTECTIVE GLOVES: Chemical resistant.

EYE PROTECTION: None needed under normal use. Otherwise use safety glasses.

OTHER PROTECTIVE EQUIPMENT: Wear impervious clothing to prevent skin contact.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool dry place away from heat or open flame. Keep container tightly closed when not in use. Ensure strict sanitary conditions are conformed to when working around chemicals.

OTHER PRECAUTIONS: Keep out of reach of children.

--*-*-* SECTION IX - OTHER REGULATORY CONTROLS

-----*-*-*-*-*

No data available.

--*-*-* SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION)

-----*-*-*-*-*

DOT PROPER SHIPPING NAME: Noneommodity Hazard Class: ORM-D

DOT CLASS: None DOT ID NUMBER: None DOT PACKING GROUP: None

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: Error! Not a valid link. DATE OF ISSUE: September 17, 2001

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Sprayway assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the vendees or users assume all risks associated with the use of this material.

