

MATERIAL SAFETY DATA SHEET

STANDARD SCREEN SUPPLY CORPORATION
121 VARICK STREET
NEW YORK, NY 10013

TELEPHONE: (800)221-2697
FAX: (212) 621-2770

EMERGENCY INFORMATION: DAY OR NIGHT: CHEMTREC (800)424-9300

PRODUCT INFORMATION:

PRODUCT NAME: TABLE ADHESIVE L.A.
DOT PROPER SHIPPING NAME: NOT APPLICABLE

DOT HAZARD CLASSIFICATION: NOT APPLICABLE

PRECAUTIONARY WARNING:

HANDLE IN ACCORDANCE TO GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES, THESE INCLUDE AVOIDING UNNECESSARY EXPOSURE AND REMOVAL OF THE MATERIAL FROM EYES, SKIN AND CLOTHING.

SECTION 1 - COMPONENTS

<u>COMPONENTS:</u>	<u>CAS #</u>	<u>EXPOSURE LIMIT:</u>	<u>UNIT:</u>	<u>TYPE:</u>
ACETIC ACID ETHENYL ESTER POLYMER WITH ETHANE	24937-20-7	NONE ESTABLISHED		TLV
ACETIC ACID ETHENYL ESTER POLYMER WITH ETHYLBENZENE	25213-24-5	N/E		TLV
TRADE SECRET REGISTRY	(05995500000)5001P	N/E		TLV
WATER	7732-18-5	N/E		TLV
DIETHYLENE GLYCOL DIBENZOATE	120-55-8	N/E		TLV

SARA HAZARD NOTIFICATIONS

HAZARD CATEGORIES UNDER CRITERIA OF
SARA TITLE III RULES (40 CFR PART 370): NOT APPLICABLE

SECTION 313 TOXIC CHEMICAL(S): NOT APPLICABLE

HAZARDOUS CHEMICAL(S) UNDER OSHA
HAZARD COMMUNICATION STANDARD: NOT APPLICABLE

SECTION 2 - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYES GENTLY WITH COPIOUS QUANTITIES OF WATER
FOR A MINIMUM OF 15 MINUTES. USE FINGERS TO SEPARATE EYELIDS TO ASSURE THAT EYES ARE BEING IRRIGATED. CALL A PHYSICIAN. MIGHT BE A MILD IRRITANT TO THE EYES.

SKIN CONTACT: WASH EXPOSED SKIN WITH SOAP AND WATER. NORMAL CLEANLINESS SHOULD BE OBSERVED.

INHALATION: INHALATION OF VAPORS MAY CAUSE IRRITATION TO NASAL PASSAGES. REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT PHYSICIAN.

INGESTION: LOW ORDER OF TOXICITY. INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED (UP TO SEVERAL OUNCES). NO ADVERSE HEALTH EFFECTS ARE ANTICIPATED. CALL A PHYSICIAN.

SECTION 3 - PHYSIOLOGICAL EFFECTS AND HEALTH INFORMATION

EYE EFFECTS: MINOR TO SLIGHT IRRITATION TO THE EYES.

SKIN EFFECTS: SHORT EXPOSURE: NO IRRITATION.
REPEATED, PROLONGED EXPOSURE ESPECIALLY IF CONFINED: MILD IRRITATION.

SYSTEMIC EFFECTS: HUMAN EFFECTS NOT ESTABLISHED. NO SPECIFIC ANTIDOTE. TREATMENT BASED ON SOUND JUDGMENT OF PHYSICIAN AND THE INDIVIDUAL REACTIONS OF THE PATIENT.

SECTION 4 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE NORMALLY NEEDED.

VENTILATION: GENERAL MECHANICAL VENTILATION MAY BE SUFFICIENT TO KEEP PRODUCT VAPOR CONCENTRATIONS WITHIN SPECIFIED TIME-WEIGHED TLV RANGES. PROVIDES SUFFICIENT VENTILATION TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW THE EXPOSURE GUIDELINE. SUPPLEMENTAL LOCAL EXHAUST MAY BE REQUIRED.

PROTECTIVE GLOVES: NONE NORMALLY NEEDED. NEOPRENE RUBBER GLOVES ARE RECOMMENDED.

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS WHEN SPLASH POTENTIAL EXISTS.

OTHER PROTECTIVE EQUIPMENT: CLEAN BODY COVERING CLOTHING WHEN REQUIRED.

SECTION 5 - REACTIVITY DATA

STABILITY: PRODUCT IS STABLE IN MOST ENVIRONMENTS. COAGULATION MAY OCCUR FOLLOWING FREEZING, THAWING OR BOILING.

INCOMPATIBILITY: ADDITION OF CHEMICALS MAY CAUSE COAGULATION.

HAZARDOUS DECOMPOSITION PRODUCTS: PRODUCES DENSE BLACK SMOKE IF BURNED.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

20F4

SECTION 6 - SPILL, LEAK AND DISPOSAL INFORMATION

PRECAUTIONS IN CASE OF RELEASE OR SPILL: DAM UP TO LIMIT SPREADING, ABSORB ON INERT MATERIAL PLACE INTO CONTAINERS. IF SPILL OCCURS IN ENCLOSED AREA VENTILATE. POLYMER MAY BE SEPARATED FROM WATER WITH THE ADDITION OF ALUM.

REPORTABLE QUANTITY: CONSULT LOCAL SEWER AUTHORITY BEFORE DISCHARGING

WASTE DISPOSAL METHOD: FOR LESS THAN 100 GALLONS DILUTE 50 TO 100 FOLD WITH WATER WASH INTO INDUSTRIAL SEWER. PRODUCT WILL IMPART WHITE MILKY COLOR TO WATER. FOAMING CAN RESULT. DISPOSE OF PRECIPITATED SOLIDS IN LAND FILL. EMULSION CAN BE INCINERATED DIRECTLY UNDER APPROPRIATE CONDITIONS. THIS PRODUCT AS SOLD WITHIN ITS PH SPECIFICATION RANGE IS NOT A FEDERAL HAZARDOUS WASTE ACCORDING TO EPA REGULATION 40 FR 261.

SECTION 7 - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORING PRECAUTIONS: STORE AT TEMPERATURES BETWEEN 40°F AND 90°F. NO SAFETY PROBLEMS KNOWN.

OTHER PRECAUTIONS: PRACTICE REASONABLE CARE TO AVOID SKIN CONTACT.

SECTION 8 - PHYSICAL DATA

DOT FLAMMABILITY CLASSIFICATION: NON FLAMMABLE.

FLASH POINT: NONE TO BOILING.

EVAPORATION RATE: SIMILAR TO WATER (SLOWER THAN ETHER).

PERCENT VOLATILE: 45%-55% SOLUBILITY IN WATER: DISPERSIBLE.

SPECIFIC GRAVITY: HEAVIER THAN WATER. WEIGHT PER GALLON: 9.0 LBS/GAL.

APPEARANCE AND ODOR: MILKY WHITE VISCOUS FLUID. SLIGHT VINEGAR ODOR.

SECTION - 9 FIRE AND EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA: WATER FOG - DRY RESIN ONLY.

UNUSUAL FIRE AND EXPLOSION HAZARD: BURNING DRY RESIN EMITS DENSE BLACK SMOKE.

FIRE FIGHTING PROCEDURES: USE APPROPRIATE MASK WHEN FIGHTING DRY RESIN FIRE.

30F.4

SECTION 10 - USERS RESPONSIBILITY:

A BULLETIN SUCH AS THIS CANNOT BE EXPECTED TO COVER ALL POSSIBLE INDIVIDUAL SITUATIONS. AS THE USER HAS THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE, ALL ASPECTS OF AN INDIVIDUAL OPERATION SHOULD BE EXAMINED TO DETERMINE IF, OR WHERE, PRECAUTIONS - IN ADDITION TO THOSE DESCRIBED HEREIN - ARE REQUIRED. ANY HEALTH HAZARD AND SAFETY INFORMATION CONTAINED HEREIN SHOULD BE PASSED ON TO YOUR CUSTOMERS OR EMPLOYEES, AS THE CASE MAY BE. STANDARD SCREEN SUPPLY CORPORATION, MUST RELY ON THE USER TO UTILIZE THE INFORMATION WE HAVE SUPPLIED TO DEVELOP WORK PRACTICE GUIDELINES AND EMPLOYEE INSTRUCTIONAL PROGRAMS FOR THE INDIVIDUAL OPERATION.

DISCLAIMER OF LIABILITY

THE INFORMATION CONTAINED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. ALL CHEMICALS MAY PRESENT UNKNOWN HEALTH HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS WHICH EXIST. FINAL DETERMINATION OF SUITABILITY OF THE CHEMICAL IS THE SOLE RESPONSIBILITY OF THE USER. USERS OF ANY CHEMICAL SHOULD SATISFY THEMSELVES THAT THE CONDITIONS AND METHODS OF USE ASSURE THAT THE CHEMICAL IS USED SAFELY. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN OR THE CHEMICAL TO WHICH THE INFORMATION REFERS. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

NOTHING CONTAINED HEREIN IS TO BE CONSTRUED AS A RECOMMENDATION FOR USE IN VIOLATION OF ANY PATENTS OR OF APPLICABLE LAWS OR REGULATIONS.

SECTION 11 - DOCUMENTARY INFORMATION

PRODUCT CODE NO: TABLE ADHESIVE L.A.
LAST REVISED: 12/17/01

ISSUE DATE: 5/15/98
PREPARED BY: A.V.

4 of 4